

Literaturverzeichnis

- Agnoletti L, Curello S, Bachetti T, Malacarne F, Gaia G, Comini L, Volterrani M, Bonetti P, Parrinello G, Cadei M, Grigolato PG, Ferrari R. Serum From Patients With Severe Heart Failure Downregulates eNOS and Is Proapoptotic – Role of Tumor Necrosis Factor- α . *Circulation* 1999; 100: 1983-1991
- Baylis C, Vallance P. Measurement of nitrite and nitrate levels in plasma and urine – what does this measure tell us about the activity of the endogenous nitric oxide system? *Curr Opin Nephrol Hypertens* 1998; 7: 59-62
- Bonnardeaux A, Nadaud S, Charru A, Jeunemaitre X, Corvol P, Soubrier F. Lack of Evidence for Linkage of the Endothelial Cell Nitric Oxide Synthase Gene to Essential Hypertension. *Circulation* 1995; 91: 96-102
- Calò L, Sartore G, Bassi A, Basso C, Bertocco S, Marin R, Zambon S, Cantaro S, D'Angelo A, Davis PA, Manzato E, Crepaldi G. Reduced susceptibility to oxidation of low-density lipoprotein in patients with overproduction of nitric oxide (Bartter's and Gitelman's syndrome). *J Hypertens* 1998; 16: 1001-1008
- Calver A, Collier J, Moncada S, Vallance P. Effect of local intra-arterial N^G-monomethyl-L-arginine in patients with hypertension: the nitric oxide dilator mechanism appears abnormal. *J Hypertens* 1992; 10: 1025-1031
- Cambien F, Poirier O, Nicaud V, Herrmann SM, Mallet C, Ricard S, Behague I, Hallet V, Blanc H, Loukaci V, Thillet J, Evans A, Ruidavets JB, Arveiler D, Luc G, Tiret L. Sequence Diversity in 36 Candidate Genes for Cardiovascular Disorders. *Am J Hum Genet* 1999; 65: 183-191
- Casas JP, Bautistia LE, Humphries SE, Hingorani AD. Endothelial Nitric Oxide Synthase Genotype and Ischemic Heart Disease - Metaanalysis of 26 Studies Involving 23.028 Subjects. *Circulation* 2004; 109: 1359-1365
- Celermajer DS, Sorensen KE, Georgakopoulos D, Bull C, Thomas O, Robinson J, Deanfield JE. Cigarette Smoking Is Associated With Dose-Related and Potentially Reversible Impairment of Endothelium-Dependent Dilatation in Healthy Young Adults. *Circulation* 1993; 88: 2149-2155
- Chen W, Srinivasan SR, Bond MG, Tang R, Urbina EM, Li S, Boerwinkle E, Berenson GS. Nitric Oxide Synthase Gene Polymorphism (G894T) Influences Arterial Stiffness in Adults. *AJH* 2004; 17: 553-559
- Colombo MG, Andreassi MG, Paradossi U, Botto N, Manfredi S, Masetti S, Rossi G, Clerico A, Biagini A. Evidence for association of a common variant of the endothelial nitric oxide synthase gene (Glu298Asp polymorphism) to the presence, extent, and severity of coronary artery disease. *Heart* 2002; 87: 525-528

- Drexler H, Haller H, Hornig B, Landmesser U. Endothelfunktion bei kardiovaskulären Erkrankungen – Klinische Bedeutung und therapeutische Implikationen. Bremen *UNI-MED Verlag AG* 2000; 1. Auflage: 15-17;53-63
- Fatini C, Sofi F, Sticchi E, Gensini F, Gori AM, Fedi S, Lapini I, Rostagno C, Comgelo M, Brogi D, Gensini G, Abbate R. Influence of endothelial nitric oxide synthase gene polymorphisms (G894T, 4a4b, T-786C) and hyperhomocysteinemia on the predisposition to acute coronary syndromes. *Am Heart J* 2004; 147: 516-521
- Fisslthaler B, Popp R, Kiss L, Potente M, Harder DR, Fleming I, Busse R. Cytochrome P450 2C is an EDHF synthase in coronary arteries. *Nature* 1999; 401: 493-497
- Förstermann U, Boissel JP, Kleinert H. Expressional control of the ‘constitutive’ isoforms of nitric oxide synthase (NOS I and NOS III). *Faseb J* 1998; 12: 773-790
- Forte P, Copland M, Smith LM, Milne E, Sutherland J, Benjamin N. Basal nitric oxide synthesis in essential hypertension. *Lancet* 1997; 349: 837-842
- Furchgott RF, Zawadzki JV. The obligatory role of endothelial cells in the relaxation of arterial smooth muscle by acetylcholine. *Nature* 1980; 288: 373-376
- Furchgott RF, Vanhoutte PM. Endothelium-derived relaxing and contracting factors. *Faseb J* 1989; 3: 2007-2018
- Garg UC, Hassid A. Nitric oxide-generating vasodilators and 8-bromo-cyclic guanosine monophosphate inhibit mitogenesis and proliferation of cultured rat vascular smooth muscle cells. *J Clin Inv* 1989; 83: 1774-1777
- Hibi K, Ishigami T, Tamura K, Mizushima S, Nyui N, Fujita T, Ochiai H, Kosuge M, Watanabe Y, Yoshii Y, Kihara M, Kimura K, Ishii M, Umemura S. Endothelial Nitric Oxide Synthase Gene Polymorphism and Acute Myocardial Infarction. *Hypertension* 1998; 32: 521-526
- Higman DJ, Strachan AMJ, Powell JT. Reversibility of smoking-induced endothelial dysfunction. *Br J Surg* 1994; 81: 977-978
- Hingorani AD, Liang CF, Fatibene J, Lyon A, Monteith S, Parsons A, Haydock S, Hopper RV, Stephens NG, O’Shaughnessy KM, Brown MJ. A Common Variant of the Endothelial Nitric Oxide Synthase (Glu298Asp) Is a Major Risk Factor for Coronary Artery Disease in the UK. *Circulation* 1999; 100: 1515-1520
- Hingorani AD. Endothelial Nitric Oxide Synthase Polymorphisms and Hypertension. *Current Hypertension Reports* 2003; 5: 19-25
- Hoit BD. Two Faces of Nitric Oxide – Lessons Learned From the NOS2 Knockout. *Circ Res* 2001; 89: 289-291

- Huang PL, Huang Z, Mashimo H, Bloch KD, Moskowitz MA, Bevan JA, Fishman MC. Hypertension in mice lacking the gene for endothelial nitric oxide synthase. *Nature* 1995; 377: 239-242
- Ichihara S, Yamada Y, Fujimura T, Nakashima N, Yokota M. Association of a Polymorphism of the Endothelial Constitutive Nitric Oxide Synthase Gene With Myocardial Infarction in the Japanese Population. *Am J Cardiol* 1998; 81: 83-86
- John U, Greiner B, Hensel E, Lüdemann J, Piek M, Sauer S, Adam C, Born G, Alte D, Greiser E, Haertel U, Hense HW, Haerting J, Willich S, Kessler C. Study of Health in Pomerania (SHIP): a health examination survey in an east German region: objectives and design. *Soz.-Präventivmed* 2001; 46: 186-194
- Kato N, Sugiyama T, Morita H, Nabika T, Kurihara H, Yamori Y, Yazaki Y. Lack of Evidence for Association Between The Endothelial Nitric Oxide Synthase Gene and Hypertension. *Hypertension* 1999; 33: 933-936
- Keil U, Liese AD, Hense HW, Filipiak B, Döring A, Stiebert J, Löwel H. Classical risk factors and their impact on incident non-fatal and fatal myocardial infarction and all-cause mortality in southern Germany. *Eur Heart J* 1998; 19: 1197-1207
- Kelly RA, Balligand JL, Smith TW. Nitric Oxide and Cardiac Function. *Circ Res* 1996; 79: 363-380
- Kubes P, Suzuki M, Granger DN. Nitric oxide: an endogenous modulator of leukocyte adhesion. *Proc Natl Acad Sci U S A* 1991; 88: 4651-4655
- Lacolley P, Gautier S, Poirier O, Pannier B, Cambien F, Benetos A. Nitric oxide synthase gene polymorphisms, blood pressure and aortic stiffness in normotensive and hypertensive subjects. *J Hypertens* 1998; 16: 31-35
- Leeson CPM, Hingorani AD, Mullen MJ, Jeerooburkhan N, Kattenhorn M, Cole TJ, Muller DPR, Lucas A, Humphries SE, Deanfield JE. Glu298Asp Endothelial Nitric Oxide Synthase Gene Polymorphism Interacts With Environmental and Dietary Factors to Influence Endothelial Function. *Circ Res* 2002; 90: 1153-1158
- Lembo G, De Luca N, Battagli C, Iovino G, Aretini A, Musicco M, Frati G, Pompeo F, Vecchione C, Trimarco B. A Common Variant of Endothelial Nitric Oxide Synthase (Glu298Asp) Is an Independent Risk Factor for Carotid Atherosclerosis. *Stroke* 2001; 32: 735-740
- Li R, Lyn D, Lapu-Bula R, Oduwole A, Igho-Pemu P, Lankford B, Morgan J, Nkemdechi S, Liu G, Pack C, Silvestrov N, von Deutsch DA, Song Q, Abukhalaf IK, Ofili E. Relation of Endothelial Nitric Oxide Synthase Gene to Plasma Nitric Oxide Level, Endothelial Function, and Blood Pressure in African Americans. *AJH* 2004; 17: 560-567

- Lüscher TF, Barton M. Biology of the Endothelium. *Clin. Cardiol.* 1997; 20(Suppl. II): 3-10;
- Manning RD, Hu L, Mizelle HL, Montani JP, Norton MW. Cardiovascular Responses to Long-term Blockade of Nitric Oxide Synthesis. *Hypertension* 1993; 22: 40-48
- Marsden PA, Heng HHQ, Scherer SW, Stewart RF, Hall AV, Shi XM, Tsui LC, Schappert KT. Structure and Chromosomal Localization of the Human Constitutive Endothelial Nitric Oxide Synthase Gene. *J Biol Chem* 1993; 268: 17478-17488
- Mathews WR, Kerr SW. Biological Activity of S-Nitrosothiols: The Role of Nitric Oxide. *J Pharmacol Exp Ther* 1993; 267: 1529-1537
- Miyamoto Y, Saito Y, Kajiyama N, Yoshimura M, Shimasaki Y, Nakayama M, Kamitani S, Harada M, Ishikawa M, Kuwahara K, Ogawa E, Hamanaka I, Takahashi N, Kaneshige T, Teraoka H, Akamizu T, Azuma N, Yoshimasa Y, Yoshimasa T, Itoh H, Masuda I, Yasue H, Nakao K. Endothelial Nitric Oxide Synthase Gene Is Positively Associated With Essential Hypertension. *Hypertension* 1998; 32: 3-8
- Moncada S, Higgs A. The L-arginine nitric oxide pathway. *N Engl J Med* 1993; 329: 2002-2012
- Mourad JJ, Ducailar G, Rudnicki A, Lajemi M, Mimran A, Safar ME. Age-related increase of pulse pressure and gene polymorphisms in essential hypertension: a preliminary study. *JRAAS* 2002; 3: 109-115
- Nadaud S, Bonnardeaux A, Lathrop M, Soubrier F. Gene Structure, polymorphism and mapping of the human endothelial nitric oxide synthase gene. *Biochem Biophys Res Commun* 1994; 198: 1027-1033
- Nakayama T, Soma M, Izumi Y, Kanmatsuse K, Esumi M. CA Repeat Polymorphism of the Endothelial Nitric Oxide Synthase Gene in the Japanese. *Hum Hered* 1995; 45: 301-302
- Noiri E, Satoh H, Taguchi J, Brodsky SV, Nakao A, Ogawa Y, Nishijima S, Yokomizo T, Tokunaga K, Fujita T. Association of eNOS Glu298Asp Polymorphism With End-Stage Renal Disease. *Hypertension* 2002; 40: 535-540
- Ohashi Y, Kawashima S, Hirata K, Yamashita T, Ishida T, Inoue N, Sakoda T, Kurihara H, Yazaki Y, Yokoyama M. Hypotension and Reduced Nitric Oxide – elicited Vasorelaxation in Transgenic Mice Overexpressing Endothelial Nitric Oxide Synthase. *J Clin Invest* 1998; 102: 2061-2071
- Palmer RMJ, Ferrige AG, Moncada S. Nitric oxide release accounts for the biological activity of endothelium-derived relaxing factor. *Nature* 1987; 327: 524-526

- Palmer RMJ, Ashton DS, Moncada S. Vascular endothelial cells synthesize nitric oxide from L-arginine. *Nature* 1988; 333: 664-666
- Panza JA, Quyyumi AA, Brush JE, Epstein SE. Abnormal endothelium-dependent vascular relaxation in patients with essential hypertension. *N Engl J Med* 1990; 323: 22-27
- Paradossi U, Ciofini E, Clerico A, Botto N, Biagini A, Colombo MG. Endothelial Function and Carotid Intima-Media Thickness in Young Healthy Subjects Among Endothelial Nitric Oxide Synthase Glu298Asp and T-786C Polymorphisms. *Stroke* 2004; 35: 1305-1309
- Philip I, Plantefeve G, Vuillaumier-Barrot S, Vicaut E, LeMarie C, Henrion D, Poirier O, Levy BI, Desmonts JM, Durand G, Benessiano J. G894T Polymorphism in the Endothelial Nitric Oxide Synthase Gene Is Associated With an Enhanced Vascular Responsiveness to Phenylephrine. *Circulation* 1999; 99: 3096-3098
- Poirier O, Mao C, Mallet C, Nicaud V, Herrmann SM, Evans A, Ruidavets JB, Arveiler D, Luc G, Tiret L, Soubrier F, Cambien F. Polymorphisms of the endothelial nitric oxide synthase gene – no consistent association with myocardial infarction in the ECTIM study. *Eur J Clin Invest* 1999; 29: 284-290
- Pritchard KA, Groszek L, Smalley DM, Sessa WC, Wu M, Villalon P, Wolin MS, Stemerman MB. Native Low-Density Lipoprotein Increases Endothelial Cell Nitric Oxide Synthase Generation of Superoxide Anion. *Circ Res* 1995; 77: 510-518
- Pulkkinen A, Viitanen L, Kareinen A, Lehto S, Vaukhonen I, Laakso M. Intron 4 polymorphism of the endothelial nitric oxide synthase gene is associated with elevated blood pressure in type 2 diabetic patients with coronary heart disease. *J Mol Med* 2000; 78: 372-379
- Radomski MW, Palmer RMJ, Moncada S. The role of nitric oxide and cGMP in platelet adhesion to vascular endothelium. *Biochem Biophys Res Comm* 1987; 148: 1482-1489
- Ranade K, Chang MS, Ting CT, Pei D, Hsiao CF, Olivier M, Pesich R, Hebert J, Chen YDI, Dzau VJ, Curb D, Olshen R, Risch N, Cox DR, Botstein D. High-Throughput Genotyping with Single Nucleotide Polymorphisms. *Genome Res* 2001; 11: 1262-1268
- Rossi GP, Taddei S, Viridis A, Cavallin M, Ghiadoni L, Favilla S, Versari D, Sudano I, Pessina AC, Salvetti A. The T-786C and Glu298Asp Polymorphisms of the Endothelial Nitric Oxide Gene Affect the Forearm Blood Flow Responses of Caucasian Hypertensive Patients. *J Am Coll Cardiol* 2003; 41: 938-945
- Salvarani C, Casali B, Nicoli D, Farnetti E, Macchioni P, Catanoso MG, Chen Q, Bajocchi GL, Boiardi L. Endothelial Nitric Oxide Synthase Gene Polymorphisms in Giant Cell Arteritis. *Arthritis & Rheumatism* 2003; 48: 3219-3223

- Sofowara G, Dishy V, Xie HG, Imamura H, Nishimi Y, Morales CR, Morrow JD, Kim RB, Stein CM, Wood AJJ. In-vivo effects of Glu298Asp endothelial nitric oxide synthase polymorphism. *Pharmacogenetics* 2001; 11: 809-814
- Stangl K, Cascorbi I, Laule M, Klein T, Stangl V, Rost S, Wernecke KD, Felix SB, Bindereif A, Baumann G, Roots I. High CA repeat numbers in intron 13 of the endothelial nitric oxide synthase gene and increased risk of coronary artery disease. *Pharmacogenetics* 2000; 10: 133-140
- Tesauro M, Thopson WC, Rogliani P, Qi L, Chaudhary PP, Moss J. Intracellular processing of endothelial nitric oxide synthase isoforms associated with differences in severity of cardiopulmonary diseases: Cleavage of proteins with aspartate vs. glutamate at position 298. *Proc Natl Acad Sci U S A* 2000; 6: 2832-2835
- Tsukada T, Yokoyama K, Arai T, Takemoto F, Hara S, Yamada A, Kawaguchi Y, Hosoya T, Igari J. Evidence of Association of the eNOS Gene Polymorphism with Plasma NO Metabolite Levels in Humans. *Biochem Biophys Res Comm* 1998; 245: 190-193
- Wang XL, Sim AS, Badenhop RF, McCredie RM, Wilcken DEL. A smoking-dependent risk of coronary artery disease associated with a polymorphism of the endothelial nitric oxide synthase gene. *Nature Medicine* 1996; 2: 41-45
- Wang XL, Wang J. Endothelial Nitric Oxide Synthase Gene Sequence Variations and Vascular Disease. *Molecular Genetics and Metabolism* 2000; 70: 241-251
- Wang XL, Sim AS, Wang MX, Murrell GAC, Trudinger B, Wang J. Genotype dependent and cigarette specific effects on endothelial nitric oxide synthase gene expression and enzyme activity. *FEBS Letters* 2000; 471: 45-50
- Wattanapitayakul SK, Mihm MJ, Young AP, Bauer JA. Therapeutic implications of human endothelial nitric oxide synthase gene polymorphism. *TRENDS in Pharmacological Sciences* 2001; 22: 361-368
- Veldman BA, Spiering W, Doevendans PA, Vervoort G, Kroon AA, de Leeuw PW, Smits P. The Glu298Asp polymorphism of the NOS 3 gene as a determinant of the baseline production of nitric oxide. *J Hypertens* 2002; 20: 2023-2027
- Yoshimura M, Yasue H, Nakayama M, Shimasaki Y, Sumida H, Sugiyama S, Kugiyama K, Ogawa H, Ogawa Y, Saito Y, Miyamoto Y, Nakao K. A missense Glu298Asp variant in the endothelial nitric oxide synthase gene is associated with coronary spasm in the Japanese. *Hum Gen* 1998; 103: 65-69