

8. Literaturverzeichnis:

Allen D.G., Whitehead N.P., Yeung E.W., *Mechanisms of stretch-induced muscle damage in normal and dystrophic muscle: role of ionic changes.*, J Physiol.; 567(Pt 3):723-35, 2005

Basset O., Boittin F.X., Cognard C., Constantin B., Ruegg U.T., *Bcl-2 overexpression prevents calcium overload and subsequent apoptosis in dystrophic myotubes.*, Biochem J.; 395(2):267-76, 2006

Berchtold M. W., Brinkmeier H., Müntener M., *Calcium ion in skeletal muscle: its crucial role for muscle function, plasticity, and disease.*, Physiol Rev.; 80(3):1215-65, 2000

Berridge M.J., Bootman M.D., Roderick H.L., *Calcium signalling: dynamics, homeostasis and remodelling.*, Nat Rev Mol Cell Biol.; 4(7):517-29, 2003

Bertorini T.E., Cornelio F., Bhattacharya S.K., Palmieri G.M., Dones I., Dworzak F., Brambati B., *Calcium and magnesium content in fetuses at risk and pre-necrotic Duchenne muscular dystrophy.*, Neurology.; 34(11):1436-40, 1984

Brockway L.M., Zhou Z.H., Bubien J.K., Jovov B., Benos D.J., Keyser K.T., *Rabbit retinal neurons and glia express a variety of ENaC/DEG subunits.*, Am J Physiol Cell Physiol.; 283(1):C126-34, 2002

Bron D., Pongratz D., *Muskeldystrophie Duchenne in der Praxis*, Verlag Hans Huber, Bern, 1. Auflage, ISBN 3-456-83928-6, S: 15-59, 81-173, 2004

Bulfield G., Siller W.G., Wight P.A., Moore K.J., *X chromosome-linked muscular dystrophy (mdx) in the mouse.*, Proc Natl Acad Sci U S A.; 81(4):1189-92, 1984

Chalfie M., Wollinski E., *The identification and suppression of inherited neurodegeneration in Caenorhabditis elegans.*, Nature, 345: 410-416, 1990

Calixto J.B., Kassuya C.A., Andre E., Ferreira J., *Contribution of natural products to the discovery of the transient receptor potential (TRP) channels family and their functions.*, Pharmacol Ther.; 106(2):179-208, 2005

Canessa C. M., Schild L., Buell G., Thorens B., Gautschi I., Horisberger J. D., Rossier B. C., *Amiloride-sensitive epithelial Na⁺ channel is made of three homologous subunits.*, Nature, 367: 463-467, 1994

- Carnwath J.W., Shotton D.**, *Muscular dystrophy in the mdx mouse: histopathology of the soleus and extensor digitorum longus muscles.*, Journal of the Neurological Sciences, 80:39-54, 1987
- Clapham D.E.**, *TRP channels as cellular sensors.*, Nature.; 426(6966):517-24, 2003
- Cohn R. D., Campbell K. P.**, *Molecular basis of muscular dystrophies.*, Muscle Nerve, 23: 1456-1471, 2000
- Cohen D.M.**, *TRPV4 and the mammalian kidney.*, Pflügers Arch.; 451(1):168-75, 2005
- De la Porte S., Morin S., Koenig J.**, *Characteristics of skeletal muscle in mdx mutant mice.*, Int Rev Cytol.; 191:99-148, 1999
- Dietrich A., Mederos y Schnitzler M., Kalwa H., Storch U., Gudermann T.**, *Functional characterization and physiological relevance of the TRPC3/6/7 subfamily of cation channels.*, Naunyn Schmiedebergs Arch Pharmacol.; 371(4):257-65, 2005
- Dietrich A., Mederos Y., Schnitzler M., Gollasch M., Gross V., Storch U., Dubrovská G., Obst M., Yildirim E., Salanova B., Kalwa H., Essin K., Pinkenburg O., Luft F.C., Gudermann T., Birnbaumer L.**, *Increased vascular smooth muscle contractility in TRPC6^{-/-} mice.* Mol Cell Biol.; 25(16):6980-9, 2005
- Dowling P., Doran P., Ohlendieck K.**, *Drastic reduction of sarcalumenin in Dp427 (dystrophin of 427 kDa)-deficient fibres indicates that abnormal calcium handling plays a key role in muscular dystrophy.*, Biochem J.; 379(Pt 2):479-88, 2004
- Drummond H.A., Gebremedhin D., Harder D.R.**, *Degenerin/epithelial Na⁺ channel proteins: components of a vascular mechanosensor.*, Hypertension.; 44(5):643-8, 2004
- Emery A. E. H., Emery M. L. H.**, *Refining the clinical picture. In: Emery AEH, Emery MLH, editors, The history of a genetic disease: Duchenne muscular dystrophy or Mryon's disease.*, London: The Royal Society of Medicine Press Limited, 89-99, 1995
- Fleig A., Penner R.**, *The TRPM ion channel subfamily: molecular, biophysical and functional features.*, Trends Pharmacol Sci.; 25(12):633-9, 2004
- Florence J. M., Fox P. T., Planer G., J., Brooke M., H.**, *Activity, creatine kinase and myoglobin in Duchenne muscular dystrophy: a clue to etiology?*, Neurology, 35: 758-761, 1985
- Fong P. Y., Turner P. R., Steinhardt R. A.**, *Increased activity of calcium leak channels in myotubes of Duchenne human and mdx mouse origin.*, Science, 250: 673-676, 1990

- Freichel M., Vennekens R., Olausson J., Hoffmann M., Muller C., Stolz S., Scheunemann J., Weissgerber P., Flockerzi V.,** *Functional role of TRPC proteins in vivo: lessons from TRPC-deficient mouse models.*, *Biochem Biophys Res Commun.*; 322(4):1352-8, 2004
- Freichel M., Vennekens R., Olausson J., Stolz S., Philipp S.E., Weissgerber P., Flockerzi V.,** *Functional role of TRPC proteins in native systems: implications from knockout and knock-down studies.*, *J Physiol.*; 567(Pt 1):59-66, 2005
- Garcia-Anoveros J., Derfler B., Neville-Golden J., Hyman B.T., Corey D.P.,** *B_{Na}C1 and B_{Na}C2 constitute a new family of human neuronal sodium channels related to degenerins and epithelial sodium channels.*, *Proc Natl Acad Sci U S A.*; 94(4):1459-64, 1997
- Gee S.H., Madhavan R., Levinson S.R., Caldwell J.H., Sealock R., Froehner S.C.,** *Interaction of muscle and brain sodium channels with multiple members of the syntrophin family of dystrophin-associated proteins.*, *J Neurosci.*; 18(1):128-37, 1998
- Glesby M.J., Rosenmann E., Nylen E.G., Wrogemann K.,** *Serum CK, calcium, magnesium, and oxidative phosphorylation in mdx mouse muscular dystrophy.*, *Muscle Nerve.*; 11(8):852-6, 1988
- Grimm T., Kress W.,** *Molekulargenetische Diagnostik der progressiven Muskeldystrophie Typ Duchenne und Becker.*, ARCIS Verlag GmbH · München, ISSN 0949–150, 2006
- Hanano T., Hara Y., Shi J., Morita H., Umebayashi C., Mori E., Sumimoto H., Ito Y., Mori Y., Inoue R.,** *Involvement of TRPM7 in cell growth as a spontaneously activated Ca²⁺ entry pathway in human retinoblastoma cells.*, *J Pharmacol Sci.*; 95(4):403-19, 2004
- He Y., Yao G., Savoia C., Touyz R.M.,** *Transient receptor potential melastatin 7 ion channels regulate magnesium homeostasis in vascular smooth muscle cells: role of angiotensin II.*, *Circ Res.*; 96(2):207-15, 2005
- Hoffman E. P., Gorospe J. R. M.,** *The animal models of Duchenne muscular dystrophy: Windows on the pathophysiological consequences of dystrophin deficiency.*, *Curr Top Membr.*; 38: 113-154, 1991
- Hopf F.W., Turner P.R., Denetclaw W.F. Jr., Reddy P., Steinhardt R.A.,** *A critical evaluation of resting intracellular free calcium regulation in dystrophic mdx muscle.*, *Am J Physiol.*; 271(4 Pt 1):C1325-39, 1996
- Hummler E., Beermann F.,** *Scnn1 sodium channel gene family in genetically engineered mice.*, *J Am Soc Nephrol.*; 11 Suppl 16:S129-34, 2000

- Imbert N., Vandebrouck C., Duport G., Raymond G., Hassoni A.A., Constantin B., Cullen M.J., Cognard C.,** *Calcium currents and transients in co-cultured contracting normal and Duchenne muscular dystrophy human myotubes.*, J Physiol.; 534(Pt. 2):343-55, 2001
- Iwata Y., Katanosaka Y., Arai Y., Komamura K., Miyatake K., Shigekawa M.,** *A novel mechanism of myocyte degeneration involving the Ca²⁺-permeable growth factor-regulated channel.*, J Cell Biol.; 161(5):957-67, 2003
- Jackson M.J., Jones D.A., Edwards R.H.,** *Measurements of calcium and other elements in muscle biopsy samples from patients with Duchenne muscular dystrophy.*, Clin Chim Acta.; 147(3):215-21, 1985
- Jung D., Yang B., Meyer J., Chamberlain J. S., Campbell K. P.,** *Identification and characterization of the dystrophin anchoring site on β -dystroglycan.*, J Biol Chem; 270: 27305-27310, 1995
- Kellenberger S., Gautschi I., Schild L.,** *A single point mutation in the pore region of the epithelial Na⁺ channel changes ion selectivity by modifying molecular sieving.*, Proc Natl Acad Sci USA, 96: 4170-4175, 1999
- Kiselyov K.I., Shin D.M., Wang Y., Pessah I.N., Allen P.D., Muallem S.,** *Gating of store-operated channels by conformational coupling to ryanodine receptors.*, Mol Cell.; 6(2):421-31, 2000
- Kiselyov K., Kim J.Y., Zeng W., Muallem S.,** *Protein-protein interaction and function TRPC channels.*, Pflügers Arch.; 451(1):116-24, 2005
- Kieber-Emmons T., Lin C., Foster M. H., Kleyman T.R.,** *Antiidiotypic antibody recognizes an amiloride binding domain within the alpha subunit of the epithelial Na⁺ channel.*, J Biol Chem, 274: 9648-9655, 1999
- Krämer R., Brinkmeier H., Rüdell R.,** *Die myotone ADR-MDX-Maus, ein Tiermodell zum Studium des Pathomechanismus der X-chromosomalen Muskeldystrophien.*, Dissertation, München, 1998
- Kunert-Keil C., Bisping F., Krüger J., Brinkmeier H.,** *Tissue-specific expression of TRP channel genes in the mouse and its variation in three different mouse strains.*, BMC Genomics.; 7:159, 2006
- Kwan H.Y., Huang Y., Yao X.,** *Regulation of canonical transient receptor potential isoform 3 (TRPC3) channel by protein kinase G.*, Proc Natl Acad Sci U S A.; 101(8):2625-30, 2004

- Lansman J.B., Franco-Obregon A.**, *Mechanosensitive ion channels in skeletal muscle: a link in the membrane pathology of muscular dystrophy.*, Clin Exp Pharmacol Physiol.; 33(7):649-56, 2006
- Liedtke W., Choe Y., Marti-Renom M.A., Bell A.M., Denis C.S., Sali A., Hudspeth A.J., Friedman J.M., Heller S.**, *Vanilloid receptor-related osmotically activated channel (VR-OAC), a candidate vertebrate osmoreceptor.*, Cell.; 103(3):525-35, 2000
- Liedtke W., Friedman J.M.**, *Abnormal osmotic regulation in *trpv4*^{-/-} mice.*, Proc Natl Acad Sci U S A.; 100(23):13698-703, 2003
- Liedtke W.**, *TRPV4 as osmosensor: a transgenic approach.*, Pflügers Arch.; 451(1):176-80, 2005
- Liedtke W., Kim C.**, *Functionality of the TRPV subfamily of TRP ion channels: add mechano-TRP and osmo-TRP to the lexicon!*, Cell Mol Life Sci.; 62(24):2985-3001, 2005
- Lis A., Wissenbach U., Philipp S.E.**, *Transcriptional regulation and processing increase the functional variability of TRPM channels.*, Naunyn Schmiedebergs Arch Pharmacol.; 371(4):315-24, 2005
- Liu D., Scholze A., Zhu Z., Kreutz R., Wehland-von-Trebra M., Zidek W., Tepel M.**, *Increased transient receptor potential channel TRPC3 expression in spontaneously hypertensive rats.*, Am J Hypertens.; 18(11):1503-7, 2005
- Matsuda R., Nishikawa A., Tanaka H.**, *Visualization of dystrophic muscle fibers in mdx mouse by vital staining with Evans blue: evidence of apoptosis in dystrophin-deficient muscle.*, J Biochem (Tokyo).; 118(5):959-64, 1995
- McArdle A., Edwards R. H., Jackson M. J.**, *Time course of changes in plasma membrane permeability in the dystrophin-deficient mdx-mouse.*, Muscle Nerv, 17: 1378-1384, 1994
- Michele D.E., Campbell K.P.**, *Dystrophin-glycoprotein complex: post-translational processing and dystroglycan function.*, J Biol Chem.; 278(18):15457-60, 2003
- Monaco A. P., Neve R. L., Colletti-Feener C., Bertelson C. J., Kurnit D. M., Kunkel L. M.**, *Isolation of candidate cDNAs for portions of the Duchenne muscular dystrophy gene.*, Nature, 323: 646-650, 1986
- Monteilh-Zoller M.K., Hermosura M.C., Nadler M.J., Scharenberg A.M., Penner R., Fleig A.**, *TRPM7 provides an ion channel mechanism for cellular entry of trace metal ions.*, J Gen Physiol.; 121(1):49-60, 2003

- Montell C.**, *The TRP superfamily of cation channels.*, Sci STKE.; 2005(272):re3, 2005
- Moran M.M., Xu H., Clapham D.E.**, *TRP ion channels in the nervous system.*, Curr Opin Neurobiol.; 14(3):362-9, 2004
- Murray J. M., Davies K. E., Harper P. S., Meredith L., Müller C. R., Williamson R.**, *Linkage relationship of a cloned DNA sequence on the short arm of the X chromosome to Duchenne muscular dystrophy.*, Nature, 300: 69-71, 1982
- Nilius B., Vriens J., Prenen J., Droogmans G., Voets T.**, *TRPV4 calcium entry channel : a paradigm for gating diversity.*, Am J Physiol Cell Physiol.; 286 : C195-C205, 2004
- Okada T., Shimizu S., Wakamori M., Maeda A., Kurosaki T., Takada N., Imoto K., Mori Y.**, *Molecular cloning and functional characterization of a novel receptor-activated TRP Ca²⁺ channel from mouse brain.*, J Biol Chem.; 273(17):10279-87, 1998
- Pedersen S.F., Owsianik G., Nilius B.**, *TRP channels: an overview.*, Cell Calcium.; 38(3-4):233-52, 2005
- Plant T.D., Schaefer M.**, *Receptor-operated cation channels formed by TRPC4 and TRPC5.*, Naunyn Schmiedebergs Arch Pharmacol.; 371(4):266-76, 2005
- Ribaux P., Bleicher F., Couble M.L., Amsellem J., Cohen S.A., Berthier C., Blaineau S.**, *Voltage-gated sodium channel (SkM1) content in dystrophin-deficient muscle.*, Pflügers Arch.; 441(6):746-55, 2001
- Riccio A., Medhurst A.D., Mattei C., Kelsell R.E., Calver A.R., Randall A.D., Benham C.D., Pangalos M.N.**, *mRNA distribution analysis of human TRPC family in CNS and peripheral tissues.*, Brain Res Mol Brain Res.; 109(1-2):95-104, 2002
- Rouger K., Le Cunff M., Steenman M., Potier M.C., Gibelin N., Dechesne C.A., Leger J.J.**, *Global/temporal gene expression in diaphragm and hindlimb muscles of dystrophin-deficient (mdx) mice.*, Am J Physiol Cell Physiol.; 283(3):C773-84, 2002
- Rüdel R., Brinkmeier H.**, *76th ENMC International Workshop: pathophysiology and therapy in the mdx mouse 21-23 January 2000, Naarden, The Netherlands.*, Neuromuscul Disord.; 12(4):415-20, 2002
- Schaefer M., Plant T.D., Obukhov A.G., Hofmann T., Gudermann T., Schultz G.**, *Receptor-mediated regulation of the nonselective cation channels TRPC4 and TRPC5.*, J Biol Chem.; 275(23):17517-26, 2000

- Speer A.**, *Muskeldystrophie im Kindesalter*, Ullstein Mosby GmbH, Berlin, ISBN 3-86126-019-0, S: 11-87, 1993
- Straub V., Campbell K.P.**, *Muscular dystrophies and the dystrophin-glycoprotein complex.*, *Curr Opin Neurol.*; 10(2):168-75, 1997
- Strotmann R., Harteneck C., Nunnenmacher K., Schultz G., Plant T.D.**, *OTRPC4, a nonselective cation channel that confers sensitivity to extracellular osmolarity.*, *Nat Cell Biol.*; 2(10):695-702, 2000
- Trebak M., Vazquez G., Bird G.S., Putney J.W. Jr.**, *The TRPC3/6/7 subfamily of cation channels.*, *Cell Calcium.*; 33(5-6):451-61, 2003
- Turk R., Sterrenburg E., de Meijer E.J., van Ommen G.J., den Dunnen J.T., 't Hoen P.A.**, *Muscle regeneration in dystrophin-deficient mdx mice studied by gene expression profiling.*, *BMC Genomics.*; 13;6:98, 2005
- Tutdibi O., Brinkmeier H., Rüdell R., Fohr K.J.**, *Increased calcium entry into dystrophin-deficient muscle fibres of MDX and ADR-MDX mice is reduced by ion channel blockers.*, *J Physiol.*; 15;515 (Pt 3):859-68, 1999
- Vandebrouck C., Martin D., Colson-Van Schoor M., Debaix H., Gailly P.**, *Involvement of TRPC in the abnormal calcium influx observed in dystrophic (mdx) mouse skeletal muscle fibers.*, *J Cell Biol.*; 158(6):1089-96, 2002
- Voets T., Prenen J., Vriens J., Watanabe H., Janssens A., Wissenbach U., Boddling M., Droogmans G., Nilius B.**, *Molecular determinants of permeation through the cation channel TRPV4.*, *J Biol Chem.*; 277(37):33704-10, 2002
- Vriens J., Watanabe H., Janssens A., Droogmans G., Voets T., Nilius B.**, *Cell swelling, heat, and chemical agonists use distinct pathways for the activation of the cation channel TRPV4.*, *Proc Natl Acad Sci U S A.*; 101(1):396-401, 2004
- Waldmann R., Lazdunski M.**, *H⁺-gated cation channels: neuronal acid sensors in the NaC/DEG family of ion channels.*, *Curr Opin Neurobiol.*, 8: 418-424, 1998
- Waldmann R., Champigny G., Bassilana F., Heurteaux C., Lazdunski M.**, *A proton-gated cation channel involved in acid-sensing.*, *Nature*, 386: 173-177, 1997

Yeung E.W., Whitehead N.P., Suchyna T.M., Gottlieb P.A., Sachs F., Allen D.G., *Effects of stretch-activated channel blockers on $[Ca^{2+}]_i$ and muscle damage in the mdx mouse.*, J Physiol.; 562(Pt 2):367-80, 2005

Zeh C., *Die Beeinflussung des Kalzium-Einstroms in Muskelfasern von Kontroll- und mdx-Mäusen durch extrazelluläre Veränderungen unter Ruhebedingungen*, Dissertation an der Med. Fakultät der Universität Ulm, 2004

Zhu MX., *Multiple roles of calmodulin and other Ca^{2+} -binding proteins in the functional regulation of TRP channels.*, Pflügers Arch.; 451(1):105-15, 2005